







This figure is a scatter plot illustrating the temporal distribution of various protein identifiers. The x-axis represents time in years, ranging from 1810 to 2020. The y-axis lists the identifiers, which are color-coded according to their sequence characteristics. The plot shows a dense concentration of points along the top edge, indicating a high frequency of these identifiers over the entire period.

Identifiers listed on the y-axis include:

- AK110121.q
- 19114476.y
- 32405646.y
- 39949107.y
- 32408943.y
- 19115429.y
- 34576555.m
- 31981193.m
- 34877690.m
- YSK1.h
- 34536821.m
- 21703922.m
- MST3.h
- 34876075.m
- 34882233.m
- 19526920.m
- 34881602.m
- MST4.h
- 24647605.f
- 31234667.i
- 25153836.w
- 17564378.w
- 17564376.w
- 6320731.y
- 1f3m\_Paka
- 23593267.z
- AK110121.q
- 19114476.y
- 32405646.y
- 39949107.y
- 32408943.y
- 19115429.y
- 34576555.m
- 31981193.m
- 34877690.m
- YSK1.h
- 34536821.m
- 21703922.m
- MST3.h
- 34876075.m
- 34882233.m
- 19526920.m
- 34881602.m
- MST4.h
- 24647605.f
- 31234667.i
- 25153836.w
- 17564378.w
- 17564376.w
- 6320731.y
- 1f3m\_Paka
- 23593267.z
- AK110121.q
- 19114476.y
- 32405646.y
- 39949107.y
- 32408943.y
- 19115429.y
- 34576555.m
- 31981193.m
- 34877690.m
- YSK1.h
- 34536821.m
- 21703922.m
- MST3.h
- 34876075.m
- 34882233.m
- 19526920.m
- 34881602.m
- MST4.h
- 24647605.f
- 31234667.i
- 25153836.w
- 17564378.w
- 17564376.w
- 6320731.y
- 1f3m\_Paka
- 23593267.z
- AK110121.q
- 19114476.y
- 32405646.y
- 39949107.y
- 32408943.y
- 19115429.y
- 34576555.m
- 31981193.m
- 34877690.m
- YSK1.h
- 34536821.m
- 21703922.m
- MST3.h
- 34876075.m
- 34882233.m
- 19526920.m
- 34881602.m
- MST4.h
- 24647605.f
- 31234667.i
- 25153836.w
- 17564378.w
- 17564376.w
- 6320731.y
- 1f3m\_Paka
- 23593267.z

